Fig.1




Fig.2 103 **AUDIO EQUIPMENT** 101 **MICROPROCESSOR** 102 NON-VOLATILE **MEMORY**

Fig.3




Fig.4




Fig.5






Fig.6










Fig.9










Fig. 12








Fig.14




Fig.15




Fig. 16




Fig.17





Fig. 18 SCREEN DI: AUTOMATIC SET-UP AT START



SCREEN D2: REGISTRATION WHEN POWER SUPPLY IS INITIALLY TURNED ON (INCLUDING REGISTRATION OF PIN NUMBER) CHANGE CHARACTER SELECT CHARACTER YOU HAVE JUST INPUTTED YOUR DETAILED INFORMATION AND GOT A CHANCE TO ASSIST CONTROLMENT OF THEFT BY ES THE POLICE 40A 40A GO BACK -OWNER 1D STORE NAME: B * * * * HOUSE NUMBER: * * * POSTAL CODE: * * * * ABCDEFGHI PIN NUMBER: 12 Z X X M A N OWNER ID

SCREEN D3: CONFIRMATION OF USE OF SECURITY OPTION (1)

SELECT TELEVISION RECEIVER IS NOT OPERATED WITHOUT INPUT OF THE PIN NUMBER OPERATED WHEN THE AV2 CONNECTION IS CANCELLED. IN THIS CASE, THE THE SAME PIN NUMBER HAS BEEN OBTAINED. THE SECURITY FUNCTION IS "1234". THE OPTION FOR ACTIVATING THE SECURITY FUNCTION WITH 2 THE REGISTRATION HAS BEEN COMPLETED WITH THE PIN NUMBER OF (DD) Yes GO BACK -STORE -DO YOU WISH TO USE THE OPTION?

Fig. 21





Fig. 22



THE SAME PIN NUMBER HAS BEEN OBTAINED. THE SECURITY FUNCTION IS "1234". THE OPTION FOR ACTIVATING THE SECURITY FUNCTION WITH THE REGISTRATION HAS BEEN COMPLETED WITH THE PIN NUMBER OF SCREEN D6: CONFIRMATION OF USE OF SECURITY OPTION (4)

TELEVISION RECEIVER IS NOT OPERATED WITHOUT INPUT OF THE PIN NUMBER OPERATED WHEN THE AV2 CONNECTION IS CANCELLED IN THIS CASE, THE

Yes

DO YOU WISH TO USE THE OPTION?

2

THE SECURITY FUNCTION HAS BEEN ACTIVATED!

Fig. 24

SCREEN D7: CONFIRMATION OF USE OF SECURITY OPTION (5)


TELEVISION RECEIVER IS NOT OPERATED WITHOUT INPUT OF THE PIN NUMBER OPERATED WHEN THE AV2 CONNECTION IS CANCELLED. IN THIS CASE, THE THE SAME PIN NUMBER HAS BEEN OBTAINED. THE SECURITY FUNCTION IS "1234". THE OPTION FOR ACTIVATING THE SECURITY FUNCTION WITH THE REGISTRATION HAS BEEN COMPLETED WITH THE PIN NUMBER OF


2 Yes DO YOU WISH TO USE THE OPTION?

THE SECURITY FUNCTION HAS BEEN ABORTED.

- CHANGE CHARACTER SELECT CHARACTER SCREEN D8: SECURITY FUNCTION IS BEING OPERATED DUE TO CANCELLATION OF AV2 CONNECTION (1) (AOA) (AOA) IS BEING OPERATED. PLEASE CHECK THE AVZ CONNECTION. IF YOU WISH TO CANCEL THE SECURITY FUNCTION, PLEASE THE AV2 CONNECTION HAS BEEN CANCELLED, AND THE SECURITY FUNCTION INPUT THE PIN NUMBER. INPUT PIN NUMBER O PIN NUMBER: ∞ 9 വ 4 က ~ 0

Fig. 26





- CHANGE CHARACTER SELECT CHARACTER SCREEN D11: SECURITY FUNCTION IS BEING OPERATED DUE TO CANCELLATION OF AV2 CONNECTION (2) CANCELLED, AND THE SECURITY FUNCTION
IS BEING OPERATED. PLEASE CHECK THE
AV2 CONNECTION. PLEASE INPUT
THE PIN NUMBER TO CANCEL THE
SECURITY FUNCTION. 400 V THE AV2 CONNECTION HAS BEEN INPUT PIN NUMBER PIN NUMBER: 1 * INCORRECT PIN NUMBER

Fig. 28

SELECT CHARACTER - CHANGE CHARACTER SCREEN D12:OWNER ID MENU (AFTER PIN NUMBER IS REGISTERED) INPUT PIN NUMBER GO BACK PIN NUMBER: 1 * * * OWNER ID Fig. 29

